



NEXTORCH P5UV Dual-Light Flashlight User Manual

[Home](#) » [NEXTORCH](#) » NEXTORCH P5UV Dual-Light Flashlight User Manual 

Contents

- [1 NEXTORCH P5UV Dual-Light Flashlight](#)
- [2 SPECIFICATIONS](#)
- [3 FEATURES](#)
- [4 QUICK START GUIDE](#)
- [5 How To Charge](#)
- [6 ACCESSORIES](#)
- [7 MAINTENANCE](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)

NEXTORCH

NEXTORCH P5UV Dual-Light Flashlight



SPECIFICATIONS


Bulb	CREE® XP-L V5 LED / UV LED				
Battery	1×18650 Li-ion battery				
Pre-set Modes	Momentary on (White / UV)	High (White / UV)	Low (White / UV)	Strobe (White / UV)	Hidden S.O.S.
Output	800 lm 1000 mw	800 lm 1000 mw	45 lm 105 mw	800 lm 1000 mw	100 lm
Run Time	—	3 h 45 min 5 h 30 min	27 h / 40 h	—	—
Beam Distance	246 m				
Waterproof	IPX4				
Impact Resistance	1 m				
Body Material	Aerospace grade aluminum 6061-T6				
Dimensions	168 mm (Length) × 26 mm (Body Diameter) × 40 mm (Head Diameter)				
Weight	185 g / 6.53 oz (without battery)				

FEATURES


- Dual-Light technology, white light / UV light combination
- Micro USB direct charging design
- White light max output at 800 lumens, UV light max output at 1000 MW
- DUO Switch operates in 2 modes, plus tactical strobe and S.O.S.
- Powered by one 18650 Li-ion battery or two CR123A batteries

QUICK START GUIDE


• Battery Installation



• ON / OFF Momentary ON / OFF




• CONSTANT ON / OFF




• MODE SWITCH




Press and hold for
3s for S.O.S. mode




• DOUBLE - CLICK STROBE



• LIGHT SOURCE SELECTION



How To Charge



- Pull the tail ring up to reveal the charging USB interface
- Connect the flashlight and computer via a USB cable.
- When the light indicator appears:
 - Red: charging in progress
 - Green: fully charged
 - P5UV Charging Time: about 4h

NOTICE

- Do not shine directly into eyes as the powerful light could cause a permanent injury.
- Do not dismantle the bulb assembly

ACCESSORIES

NEXTORCH offers a full range of product accessories suited for your product. Learn more on www.nextorch.com. Compatible accessories applied for P5 IR: VS Tactical holster, TS5-L 18650 battery, CR123A, LT2113, HM1, RM25, RM8, RM81, RM82, RM83, RM84, RM85, BM1, UCC, SL6, LC6

MAINTENANCE

- Being infected with seawater or any corrosive chemicals, please rinse immediately with clean water.
- Please use high quality batteries; Remove batteries when not working for a long time, and then store in a cool dry place.
- If the waterproof O-ring is damaged, replace it immediately

WARRANTY

- NEXTORCH offers 5-year warranty.
- NEXTORCH warrants our products to be free from any defects in workmanship and material, we will replace or return faulty item. NEXTORCH reserves the right to replace similar products if original one is discontinued.
- The warranty excludes other accessories, but rechargeable batteries are warranted for 1 year from date of purchase.
- Any accessories or products are not covered in the warranty, NEXTORCH can repair for users with reasonable fee.
- Please scan the below QR code and access to NEXTORCH website (www.nextorch.com) to register your purchase. Email us at info@nextorch.com Call us: at 0086-662-6602777 Or contact our local dealer




CONTACT WITH NEXTORCH DESIGNER

In order to improve NEXTORCH , we appreciate you could offer our designers your after-use feedback and creative suggestions by scanning the following QR code. Thank you!



Documents / Resources

	NEXTORCH P5UV Dual-Light Flashlight [pdf] User Manual P5UV, Dual-Light Flashlight, Dual-Light, Flashlight
---	--

References

-  [NEXTORCH, Professional's Edge](#)